Approved For Release 2000/04/10 014-100P80-008324000100050021-8

MINUTES

Efficiency Awards Committee Meeting

Members Present:

11 July 1951

25X1A

- Chairman

Mr. Edward R. Saunders - Comptroller
- Advisor for Management

Mr. George E. Meloon - Deputy Personnel Director

case only)

25X1A

(Governing Directive: CIA Regulation 25X1A

Cases and Action Taken:

25X1A

25X1A

1. Name (Recipient)
Clerk, GS-5
OCI
AD/CI
EOD 25 July 1950

a. Recommendation: Mr. Kingman Douglass, AD/CI, proposed in-grade salary increase of two steps.

b. Committee Action: Salary increase of one step recommended by committee as an award for special acts or services.

Committee discussion centered on the propriety of granting an award for discovering and reporting the name of an applicant who might have been a security risk.

Advisor for Management pointed out that recommendation for two-step increase is improper, since an increase of more than one step pertains to management improvement proposals which yield tangible savings in employee's own operations.

Committee directed Recorder to caution in letter notifying her of award, not to discuss openly the particulars of this situation.

25X1A

2. Name (Recipient)

Intelligence Officer, GS-14

OPC

Special Projects Division

EOD 16 January 1950

GUNFIDENTIAL

Approved For Release 2000/06/4 **-**00832A<u>00</u>0100050021-8 25X1A a. Recommendation: AD/PC. proposed a salary step-increase for superior accomplishment. b. Committee Action: Salary increase of one step recommended by committee as an award for superior accomplishment. 25X1A attended the meeting and attested to the outstanding and sustained performance of explained that the accomplishment which is the basis for the 25X1A award was not the result of group action. 25X1A Name (Recipient) Clerk-Typist, GS-14 STATSPEC 00/ Editorial EOD 3 November 1946 a. Recommendation: 25X1A DAD/O, proposed a step-increase for superior accomplishment. b. Committee Action: Salary increase of one step recommended by committee as an award for sustained performance. The committee emphasized the importance of proper recognition of outstanding service regardless of the recipient's grade. 25X1A 4. Name (Suggester) Storekeeper, GS-5 Procurement Office Supply Division EOD 9 December 1946 a. Recommendation: Use by the Signal Supply Section of an electrically driven wire measuring device built by 25X1A b. Committee Action: Salary increase of one step recommended by Committee as award for this accomplishment. 25X1A attended the meeting and related how extensively 25X1A device has been used. reported that several Armed 25X1A Forces installations, including Signal, had been contacted to determine whether others are using the same or a similar device. Apparently CIA is the exclusive user.



Approved For Release 2000/06/19 CHTRDP80-00832A000100050021-8

	In view of this fact, directed the Recorder to make proper referral of this suggestion to the Bureau of the Budget, thereby making the idea available to all Federal agencies.	25X1A
	5. Miscellaneous discussion	
25X1A 25X1A	a. The Recorder reported receiving a memorandum from recommending that the be awarded a certificate for suggesting a rapid reading course for the Agency. The Committee decided that the commendatory letter sent to sequently a memorandum from the awarded a certificate for suggesting a rapid reading course for the Agency. The Committee decided that the commendatory letter on 14 May 1951 would suffice. Consequently proposal was not approved.	25X1A
25X1A	b. inquired about the case,	25X1A
	since action on his suggested improvement had been postponed. The Recorder reported that is surveying OSI to find out whether the suggestion is being used in more than one	25X1A
	division. As directed by this case will be followed-up and resubmitted to the committee by the end of July.	25X1A
25X1A	c. explained that the suggestions of Messrs. Meloon and explained that the suggestions of Payroll procedure which will be installed within the next	25X1A
•	three months. Therefore, action on these two suggestions was postponed pending installation of the new procedure.	25X1A

